



DSE RISK ASSESSMENT FORM

Part A - General Checklist

This form has been designed to enable you and your employer to analyse and risk asses your workstation in order to ensure that it complies with the requirements of the Health and Safety (Display Screen Equipment) Regulations (as amended).

	Yes	No	N/A
Workstation locations / numbers identified?			
All users identified?			
Have assessments been carried out on all workstations?			
Have all risk reduction actions been completed?			
Have dates been set to review the assessments?			
Are users provided with eyesight tests?			
Is the working environment adequately lit?			
Does the working environment have sufficient space for DSE users to work comfortably?			
Comments			
Action required	By Who	By when	Date completed
Name	Signature		

Disclaimer

This example form is provided by Ambeck Associates Ltd as an illustration of what a DSE assessment form looks like. It is not intended that this form should meet the requirements or the hazards of any particular company. Persons who have downloaded this form are therefore advised to carefully consider its contents and make any necessary modifications to suit the needs of their own business. Ambeck Associates Ltd does not accept any liability whatsoever for injury, damage or other losses which may arise from reliance on this information and the use of this document.

DSE RISK ASSESSMENT FORM

Part B - Personal DSE Assessment

This form is to be used to carry out a display screen equipment (DSE) risk assessment in relation to your workstation if you have been defined as a DSE user.

Any DSE risk assessment that has already been carried out on your workstation must be reviewed if;

- § You move your workstation
- § You move to a new workstation or
- § Your job / workstation is significantly altered

Risk Factors	Tick answer		Things to Consider	Action to Take
	Yes	No		
Display Screens				
Are the characters clear and readable?			<p>Make sure the screen is clean and cleaning materials are made available.</p> <p>Check that text and background colours work well together.</p>	
Is the text size comfortable to read?			Software settings may need adjusting to change text size.	
Is the image stable, ie free of flicker and jitter?			<p>Try using different screen colours to reduce flicker, eg darker background and lighter text.</p> <p>If problems still exist, get the set-up checked, eg by the equipment supplier.</p>	
Is the screen's specification suitable for its intended use?			For example, intensive graphic work or work requiring fine attention to small details may require large display screens.	
Are the brightness and/or contrast adjustable?			Separate adjustment controls are not essential, provided the user can read the screen easily at all times.	
Does the screen swivel and tilt?			<p>Swivel and tilt need not be built in; you can add a swivel and tilt mechanism. However, you may need to replace the screen if:</p> <ul style="list-style-type: none"> • Swivel / tilt is absent or unsatisfactory • Work is intensive and/or • The user has problems getting the screen to a comfortable position. 	
Is the screen free from glare and reflections?			<p>Use a mirror placed in front of the screen to check where reflections are coming from.</p> <p>You might need to move the screen or even the desk and/or shield the screen from the source of reflections.</p> <p>Screens that use dark characters on a light background are less prone to glare and reflections.</p>	

Disclaimer

This example form is provided by Ambeck Associates Ltd as an illustration of what a DSE assessment form looks like. It is not intended that this form should meet the requirements or the hazards of any particular company. Persons who have downloaded this form are therefore advised to carefully consider its contents and make any necessary modifications to suit the needs of their own business. Ambeck Associates Ltd does not accept any liability whatsoever for injury, damage or other losses which may arise from reliance on this information and the use of this document.

DSE RISK ASSESSMENT FORM

Are adjustable window coverings provided and in adequate condition?			<p>Check that blinds work. Blinds with vertical slats can be more suitable than horizontal ones.</p> <p>If these measures do not work, consider anti-glare screen filters as a last resort and seek specialist</p>	
Keyboards				
Is the keyboard separate from the screen?			This is a requirement, unless the task makes it impracticable (eg where there is a need to use a portable).	
Does the keyboard tilt?			Tilt need not be built in.	
Is it possible to find a comfortable keying position?			<p>Try pushing the display screen further back to create more room for the keyboard, hands and wrists.</p> <p>Users of thick, raised keyboards may need a wrist rest.</p>	
Does the user have good keyboard technique?			<p>Training can be used to prevent:</p> <ul style="list-style-type: none"> Hands bent up at wrist Hitting the keys too hard Overstretching the fingers 	
Are the characters on the keys easily readable?			<p>Keyboards should be kept clean. If characters still can't be read, the keyboard may need modifying or replacing.</p> <p>Use a keyboard with a matt finish to reduce glare and/or reflection.</p>	
Mouse, trackball, etc.				
Is the device suitable for the tasks it is used for?			<p>If the user is having problems, try a different device. The mouse and trackball are general-purpose devices suitable for many tasks, and available in a variety of shapes and sizes. Alternative devices such as touch-screens may be better for some tasks (but can be worse for others).</p>	
Is the device positioned close to the user?			<p>Most devices are best placed as close as possible, e.g. right beside the keyboard.</p> <p>Training may be needed to:</p> <ul style="list-style-type: none"> Prevent arm overreaching; Tell users not to leave their hand on the device when it is not being used Encourage a relaxed arm and straight wrist. 	
Is there support for the device user's wrist and forearm?			<p>Support can be gained from, for example, the desk surface or arm of a chair. If not, a separate supporting device may help.</p> <p>The user should be able to find a comfortable working position with the device.</p>	

Disclaimer

This example form is provided by Ambeck Associates Ltd as an illustration of what a DSE assessment form looks like. It is not intended that this form should meet the requirements or the hazards of any particular company. Persons who have downloaded this form are therefore advised to carefully consider its contents and make any necessary modifications to suit the needs of their own business. Ambeck Associates Ltd does not accept any liability whatsoever for injury, damage or other losses which may arise from reliance on this information and the use of this document.

DSE RISK ASSESSMENT FORM

Does the device work smoothly at a speed that suits the user?			See if cleaning is required (e.g. of mouse ball and rollers). Check the work surface is suitable. A mouse mat may be needed.	
Can the user easily adjust software settings for speed and accuracy of pointer?			Users may need training in how to adjust device settings.	
Software				
Is the software suitable for the task?			Software should help the user carry out the task, minimise stress and be user-friendly. Check users have had appropriate training in using the software. Software should respond quickly and clearly to user input, with adequate feedback, such as clear help messages.	
Furniture				
Is the work surface large enough for all the necessary equipment, papers etc?			Create more room by moving printers, reference materials etc elsewhere. If necessary, consider providing new power and telecoms sockets, so equipment can be moved. There should be some scope for flexible rearrangement.	
Can the user comfortably reach all the equipment and papers they need to use?			Rearrange equipment, papers etc to bring frequently used things within easy reach. A document holder may be needed, positioned to minimise uncomfortable head and eye movements.	
Are surfaces free from glare and reflection?			Consider mats or blotters to reduce reflections and glare.	
Is the chair suitable? Is the chair stable? Does the chair have a working:			The chair may need repairing or replacing if the user is uncomfortable, or cannot use the adjustment mechanisms.	
<ul style="list-style-type: none"> • Seat back height and tilt adjustment? • Seat height adjustment? • Swivel mechanism? • Castors or glides? 				
Is the chair adjusted correctly?			The user should be able to carry out their work sitting comfortably. Consider training the user in how to adopt suitable postures while working. The arms of chairs can stop the user getting close enough to use the equipment comfortably.	

Disclaimer

This example form is provided by Ambeck Associates Ltd as an illustration of what a DSE assessment form looks like. It is not intended that this form should meet the requirements or the hazards of any particular company. Persons who have downloaded this form are therefore advised to carefully consider its contents and make any necessary modifications to suit the needs of their own business. Ambeck Associates Ltd does not accept any liability whatsoever for injury, damage or other losses which may arise from reliance on this information and the use of this document.

DSE RISK ASSESSMENT FORM

			Move any obstructions from under the desk.	
Is the small of the back supported by the chair's backrest?			The user should have a straight back, supported by the chair, with relaxed shoulders.	
Are forearms horizontal and eyes at roughly the same height as the top of the VDU?			Adjust the chair height to get the user's arms in the right position, then adjust the VDU height, if necessary.	
Are feet flat on the floor, without too much pressure from the seat on the backs of the legs?			If not, a footrest may be needed.	
Environment				
Is there enough room to change position and vary movement?			Space is needed to move, stretch and fidget. Consider reorganising the office layout and check for obstructions. Cables should be tidy and not a trip or snag hazard.	
Is the lighting suitable, eg not too bright or too dim to work comfortably?			Users should be able to control light levels, e.g. by adjusting window blinds or light switches. Consider shading or repositioning light sources or providing local lighting, e.g. desk lamps (but make sure lights don't cause glare by reflecting off walls or other surfaces).	
Does the air feel comfortable?			VDUs and other equipment may dry the air. Circulate fresh air if possible. Plants may help. Consider a humidifier if discomfort is severe.	
Are levels of heat comfortable?			Can heating be better controlled? More ventilation or air-conditioning may be required if there is a lot of electronic equipment in the room. Or, can users be moved away from the heat source?	
Are levels of noise comfortable?			Consider moving sources of noise, e.g. printers, away from the user. If not, consider soundproofing.	

On completion of the assessment, advise the assessor of the following:

- If there are any issues that you have in working with the equipment and which the assessment has not covered.
- Any discomfort or other symptoms you have experienced and attribute to working with the equipment.
- Any requirement for an eye & eyesight test.
- Your typical work routine, i.e. frequency of taking breaks away from the DSE (including carrying out work other than using DSE)

Disclaimer

This example form is provided by Ambeck Associates Ltd as an illustration of what a DSE assessment form looks like. It is not intended that this form should meet the requirements or the hazards of any particular business. Persons who have downloaded this form are therefore advised to carefully consider its contents and make any necessary modifications to suit the needs of their own business. Ambeck Associates Ltd does not accept any liability whatsoever for injury, damage or other losses which may arise from reliance on this information and the use of this document.